

- Hæmorrhage, Restoration of hæmoglobin in blood after, 269.
- Hernia, Case of spontaneous rupture external y of an umbilical, 230.
- Grei: Smith's method for radical cure of, 54.
- Lumbar, 20.
- in Hamburg, Operations for radical cure of, 138.
- Parietal, 69.
- Simulated by a suppurating lymphadenitis of groin, 216.
- Operation for ventral, 229.
- Hip-joint amputations, New method for preventing hæmorrhage during, 150.
- Disease, Resection in, 467.
- by ichiatic arthrotomy, 454.
- Operative treatment for congenital dislocation of, 463.
- Operative treatment of irreducible traumatic dislocation of, 461, 464.
- Resections of, on account of septic epiphyseal infection, 258.
- Thirty-two cases of dislocation of, 459.
- Hunter-Lossen's Principles of Surgery, Review of, 240.
- HUGHES, W., Empyema of gall-bladder; Cholecystotomy, 335.
- Hydrocele, by incision. Treatment of, 287.
- I**GNIPUNCTURE in affections of joints and bones, 299.
- Iliac abscess treated by trephining ilium, 394.
- Inguinal cyst celé, 293.
- Intestinal obstruction, Abdominal section for acute, 231.
- Intubation of larynx for diphtheritic croup, 361.
- Iodoform injections in treating tuberculous joints and cold abscesses, 271-450.
- Ischiatic arthrotomy, 454.
- J**OINTS and bones, Conservative and operative treatment of tuberculosis of, 455.
- K**EEN, W. W., Nephrorrhaphy, 81.
- New method of compressing the subclavian artery and for ascertaining whether the bladder is or is not ruptured, 33.
- Kidney, Experimental studies in the surgery of, 289.
- In a child, Extirpation of, 290.
- Partial extirpation of, 292, 383.
- Operative treatment of tuberculosis of, 277.
- Kirk's New Theory of Chloroform Syncope, Review of, 234.
- Knee-joint, Internal derangements of, 304.
- Operation for angular ankylosis of, 469.
- Results of arthrectomy of, 469.
- Tuberculosis, Recent Scandinavian contributions to, with surgical treatment of, 203.
- Koch, On Diseases of the Blood, Review of, 239.
- L**ABIUM MAJOR, Traumatic hæmatoma of, 79.
- Laparo-Myotomy, 318.
- Laparotomy for abdominal injuries, 66.
- For entero-liths, 278.
- For pancreatic cyst, 280.
- For shot wound of abdomen, 276, 369.
- Thrice on one patient, 246.
- Laryngectomy, Two cases of, 440.
- Laryngotomy, Intra-crico-thyroidean, 227.
- Larynx, Carcinoma of, 227.
- For croup, Intubation of, 361.
- Thyreotomy for papilloma of, 363.
- Lateral sinus consecutive to aural disease, Operations for septic thrombosis of, 61.
- Leg, Fracture of during birth, 451.
- Litholapaxy in Children, 75.
- Lithotomy, Suprapubic, 444.
- Lithotripsy and cystotomy, 390.
- Liver, Causes of errors of diagnosis in calculous affections of, 371.

INDEX.

- ABDOMEN**, Laparotomy for shot-wound of, 276, 369.
 —Penetrating wound of, 65.
 Abdominal colics, Surgical treatment of long lasting, 67.
 —Injuries, Laparotomy for, 66.
 —Section for acute intestinal obstruction, 231.
 —Section for gunshot wound of the abdominal viscera, five cases, 231.
 —Surgery, Drainage in pelvic, 425.
 —Wall, Wound of, 277.
 Abscess treated by iodoform injections, Cold, 271.
 Actinomycosis, Cases of, 295, 392.
 Albert's Text-book of Surgery and Operative Technique, Review of, 159.
 Amputation of Foot, New osteoplastic, 273.
 —of penis, 286.
 Anal fistula and peri-proctæal abscesses, Treatment of, 395.
 Aneurism, Electro-puncture for aortic, 366.
 —cured by digital compression, Popliteal, 356.
 Ankle-Joint, Arthrectomy of, 470.
 Aortic aneurism, Electro-puncture for, 366.
 Appendicitis and its treatment, 376.
 Appendix, in treatment of perityphlitic, Early resection of vermiform, 373.
 Arterial ligation for struma, Results of, 361.
 Arteries, Suture of, 357.
 AXFORD, W. L., Dislocation of malar bone, 423.
- BLADDER** and rectum, Recovery after shotwound of, 288.
 —New method for ascertaining whether ruptured, 33.
 —Operations for stones in, 384.
 —Surgical treatment of tumors of, 1.
 Bones and joints, Conservative and operative treatment of tuberculosis of, 455.
 Bradford-Lovett's treatise on orthopædic surgery, Review of, 397.
 Brain, Bergmann on surgical treatment of diseases of, 340.
 —Cases of revolver shotwound of, 60.
 —Sabre wounds of, 220.
 Breast, Pathogenesis of certain abscesses of, 64.
 Bromide of ethyl narcosis, 351.
 Bronchus, Foreign body in, 364.
 Buboes, Development and extirpation of strumous, 70.
 BYFORD, H. T., Dry treatment for open wounds and ulcers, 241.
- CÆSAREAN** section, 319.
 Callus after fractures of long bones, Vassilief on development of, 261.
 Carcinoma, Transmissibility of, 351.
 Cardiac impulse in relation to opening the cranial, pleural and abdominal cavities, 273.
 Carotid artery in cancer, Fatal hæmorrhage from internal, 221.
 —artery for secondary hæmorrhage, Ligation of common, 116.
 Cartilages, Changes in epiphyseal after exarticulation, 449.

Lumbar hernia, 20.
Lymphadenitis of groin simulating her-
oia, 216.

MACLEOD'S Method for reducing
dislocations of shoulder, 301, 302.
Malar bone, Dislocation of, 423.
MARCY, H. O., In what class of wounds
should we use drainage? 413.
MASTIN, C. H., Lumbar hernia, 20.
Meningeal artery without fracture, Rup-
ture of middle, 116.
Mosetig-Moorhof's Manual of Surgical
Technique, Review of, 158.
Myotomy by abdominal incision, 318.

NASAL POLYPUS, Colossal, 64.

Nephrectomy, 290.
—— For pyonephrosis, 388.
—— For renal cancer, 389.
—— Partial, 292.
Nephrolithotomy, Indications for, 386.
Nephrorrhaphy, 81.
Newman's Lectures on the diseases of the
kidney amenable to surgical treatment,
Review of, 237.

ESOPHAGUS, Treatment of sten-
osis of, 360.

—— Epithelioma of, 367.
—— Fibrous stricture of, 321.
Operating room, Essentials of a good,
432.
Optic nerve, Sarcoma of sheath of, 219.
Orthopedic surgery, Review of Bradford
and Lovett on, 397.
Osteotomy for talipes varus, 421.

PALATE, Billroth's operative methods
for fissure of, 58.

Pancreatic cyst, Laparotomy for, 280.
Paralysis, Operative relief of spodylitic,
355.
Paralytic joints, Operations on, 396.
Parotitis and Mastitis, Massage in, 222.

Patella, Perforation of upper portion of
joint capsule after fracture of, 305.

—— Propriety of arthrotomy for suture
of recent simple fractures, 401.

—— Treatment of transverse fractures
of, 308.

Penis, Amputation of, 286.

Periproctæal abscesses, Treatment of, 395.

Peritoæal cavity, Delbet on drainage of,
250.

Peritonitis, Reichel on etiology and treat-
ment of, 43.

Perityphlitis (see also appendicitis),
Pathology and therapy of, 373.

—— Early resection of vermiform ap-
pendix in treatment of, 373.

PERKINS, G. W., Case of fracture of
styloid processes of ulna and radius by
indirect violence, 134.

Pharynx, Erysipelas of, 226.

Phosphorus poisoning with perigastric
abscess, 67.

PILCHER, L. S., The question of the
propriety of resorting to arthrotomy for
suturing recent simple fractures of pa-
tella, 401.

Plastic surgery, 266.

Pneumo-peritonitis, 228.

Pneumotomy for pulmonary abscess, 368.

Popliteal aneurism cured by digital com-
pression, 356.

Porto Cæarsæan section, 319.

Pulmonary abscess, Pneumotomy for, 368.

Puppy's skin for grafting, 136.

Pyo-nephrosis, Nephrectomy for, 388.

Pyo-thorax subphrenicus, 368.

RADIUS and ulna by indirect vio-
lence, Fracture of styloid processes of,
134.

—— Effects of traumatic separation of
its epiphysis upon longitudinal growth,
458.

RAMSAY, A. C. L., Cuneiform osteotomy
for congenital talipes varus, 421.

RANSOHOFF, J., Rupture of the middle
meningeal artery without fracture,
Ligature of common carotid for sec-
ondary hæmorrhage, 116.

- Rectum and bladder, Recovery after shot-wound of, 288.
 ——— Extirpation of high lying carcinoma in two sittings, 375.
 ——— Treatment of prolapse of, 282.
 ——— By colpeurynter during an attempt to perform intra-peritoneal cystotomy, Rupture of, 129.
 ——— With prolapse of bowels, Spontaneous rupture of, 281.
 Redressement for genu-valgum and varum, 468.
 Renal cancer, Nephrectomy for, 389.
 ——— Surgery, 379.
 Rhinolith, Case of, 438.
 Roser's Guide to Surgical Anatomy, Review of, 400.
- SACRO-COCCYGEAL** tumor, Case of, 295.
 Sarcoma, Transmissibility of, 351.
 SHEPHERD, F. J. Cholecystotomy for gall-stones, 330.
 Shoulder-Joint, Operative treatment of irreducible traumatic dislocations of, 303.
 ——— Reduced by Macleod's method, Dislocations of, 302.
 SIMES, J. H. C., Removal of an eight ounce vesical calculus by the suprapubic route, 123.
 Skin-grafting after Thiersch, 78.
 Skin-grafts from dead bodies, 354.
 ——— From puppies, 136.
 Skull, Sabre wounds of, 220.
 Spina bifida, Operations for, 296, 447.
 Spinal canal, Report of results from trephining for paraplegia, 37.
 Spleen, Echinococcus of, 68.
 Spondylitic paralysis, Operative relief in, 355.
 Sterilization of instruments by steam without rusting, Apparatus for, 625.
 Sterilizer for surgical purposes, 149.
 Stone in the bladder, Operations for, 384.
 Struma, Results of arterial ligation for, 361.
 Styloid processes of radius and ulna fractured by indirect violence, 134.
- Subclavian artery, New method for compressing, 33.
 Suppuration, Steinhaus on the etiology of acute, 46.
 Suprapubic Cystotomy by large vesical calculus, 125.
 ——— Rupture of rectum by colpeurynter during attempt to perform, 129.
 ——— Lithotomy, Cases of, 444.
- TALIPES** varus treated by cuneiform osteotomy, 421.
 Tampons, Gluck on absorbable, 266.
 Testicle, Surgical treatment of ectopion of, 391.
 Therapeutics, Review of Hare's Text-Book on, 473.
 Thiersch's method of skin-grafting, 78.
 Thigh, Curability of malignant growths by exarticulation, 376.
 Thorax-wall for relief of tuberculosis of thorax wall, pleura and lung, extensive resection of, 366.
 Thyrectomy for papilloma of larynx, 363.
 Thyroid artery for goitre, Cases of ligation of, 228.
 Tonsil, Primary carcinoma of, 438.
 Trachea, Granulation stenosis of, After tracheotomy, 224.
 Tracheotomy and inter-crico-thyroidan laryngotomy compared, 227.
 ——— Complicated with calcification of the trachea, 226.
 ——— Followed by granulation of trachea, 224.
 Trachoma, Conjunctivo-plastics in chronic, 439.
 Trephining for cure of aphasia and cerebral abscess, 216.
 Tuberculosis of bones and joints, comparison between conservative and operative treatment of, 455.
 ——— Of kidney, Operative treatment of, 377.
 ——— Of thorax-wall, pleura and lung, treated by resection, 366.
 Tuberculous joint-abscesses treated by iodoform injections, 271, 450.

—— vesico-vaginal fistula, 316.

Turbinated bone, Cystopneumatic degeneration of middle, 63.

ULTZMANN on Diseases of the Urinary Bladder, Review of, 139.

Umbilical hernia with spontaneous external rupture, 230.

Ureter, Extirpation of calculus from, 441.

Urethra, Treatment and results of injuries of, 77.

——, Prolapse of female, 151.

—— Vesical tumor removed through the, 390.

Uretero-Uterine fistula, 316.

Ureter, Removal of impacted calculus from, 74.

Uterus, Carcinoma of a prolapsed, 152.

—— In a new-born child, Complete prolapse of, 152.

—— Operative treatment of retroflexion of, 312.

—— Per vaginam for retained putrefying placenta, Total extirpation of, 152.

—— Per vaginam together with portions of pelvic connective tissue, Total extirpation of, 154.

—— Through perineum, Total extirpation of, 152.

—— Treated by ventro-fixation, Retroflexion of, 311.

—— Treatment of large myomata of, 155.

—— Vaginal extirpation of, 314.

VAGINA during coition, Rupture of, 310.

VAN ARSDALE, W. W., The operative treatment of goitre, 161.

VAN METER, M. E., Use of skin from puppies in skin grafting, 136.

Ventro-fixation for uterine retroflexion, 311.

Vermiform appendix, Early resection of, in treatment of perityphlitis, 373.

—— Appendix-peritonitis and its treatment, 372.

Vesical calculus by the suprapubic route, Removal of an eight ounce, 125.

—— Tumor removed through the urethra, 390.

Vesico-vaginal fistula, Episiotomy for, 310.

—— Fistula, Tuberculous, 317.

WHITE, J. W., Further report of results obtained in a case of removal of the posterior wall of the spinal canal and opening of the dura mater spinalis for paraplegia, 37.

Wounds, Dry treatment of, 241.

ZINC-PASTE dressing, S. C. N.'s 223.

ANNALS OF SURGERY.

SURGICAL TREATMENT OF TUMORS OF THE BLADDER.¹

By PHINEAS S. CONNER, M.D.,

OF CINCINNATI,

PROFESSOR OF SURGERY IN THE MEDICAL COLLEGE OF OHIO; SURGEON TO THE
CINCINNATI, AND TO THE GOOD SAMARITAN HOSPITALS.

THAT the bladder may be the seat of a morbid growth, has been known from the earliest times, but only recently has the treatment of vesical neoplasm been other than medical and symptomatic, general or local, intended to relieve pain, arrest hæmorrhage and remove existing irritation or inflammation.

Though occasionally in catheterization an outgrowth had been caught and brought away, or in the course of a lithotomy a discovered tumor had been removed, though, even as far back as 1639, Covillard had done a lateral operation on account of a previously recognized growth, and two centuries later Civiale had with his trilabe seized and detached polypoid tumors, yet, surgical interference as a regular formularized method of treatment, at least in the case of a male patient, is of recent adoption and may be regarded as dating from 1874, the year in which were done the well known operations of Billroth and Volkmann; attracting the attention of surgeons generally only after the appearance of Sir Henry Thompson's papers in 1882 and 1883.

A sufficient number of cases have now been operated upon to enable us to at least fairly well determine whether or not surgical interference is proper, what it can accomplish and how best it is to be made.

Malignant neoplasms, left to themselves, must of necessity

¹Read before the American Surgical Association, May 13, 1890.